

PTO/SB/97 (08-00)  
Approved for use through 10/31/2002, OMB 0651-0031  
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE  
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

To: Group Art Unit 2859

Total Pages: 8

Fax: 703-872-9318

## Certificate of Transmission under 37 CFR 1.8

RECEIVED  
CENTRAL FAX CENTER


FEB 17 2004

OFFICIAL

I hereby certify that this correspondence is being facsimile transmitted to the  
United States Patent and Trademark Office

on February 16, 2004

Date

  
Signature

Lisa A. Lawrence

Typed or printed name of person signing Certificate

Note: Each paper must have its own certificate of transmission, or this certificate must identify  
each submitted paper.

Robert B. Hosler et al.

U.S. Serial No. 10/672,462

Filed September 25, 2003

Confirmation No. 9744

"Molten Cryolitic Bath Probe"

Attorney Docket: 02-1908 (370108-00097)

Transmittal Letter (2 pages)

Information Disclosure Statement (1 page)

Heraeus Cry-O-Therm Article (4 pages)

Burden Hour Statement: This form is estimated to take 0.03 hours to complete. Time will vary depending upon the needs of the individual case.  
Any comments on the amount of time required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark  
Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents,  
Washington, DC 20231.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

**RECEIVED**  
**CENTRAL FAX CENTER**

FEB 17 2004

**OFFICIAL**

In re application of )  
Robert B. Hosler et al. ) Group Art Unit 2859  
Serial No. 10/672,462 )  
Confirmation No. 9744 )  
Filed September 25, 2003 ) Alcoa Docket 02-1908 (370108-00097)  
For Molten Cryolitic Bath Probe )

**TRANSMITTAL OF INFORMATION DISCLOSURE**  
**STATEMENT WITHIN THREE MONTHS OF FILING**

February 16, 2004

Commissioner for Patents  
Alexandria, VA 22313-1450

Sir:

In accordance with 37 CFR 1.97(b), the Information Disclosure Statement submitted herewith is being filed within three months of the filing date of the application or before the mailing date of a first Office action on the merits, whichever event occurs last.

Copies of the U.S. patents cited in the attached Disclosure Statement are not enclosed, however the Heraeus Cry-O-Therm Article is enclosed.

This citation is made solely for the purpose of giving the patent Examiner full and convenient opportunity to make an independent review of these references during the examination of this application. No representation of any nature is made or intended by this disclosure.

Respectfully submitted,

\*CUSTOMER NUMBER

08840

PATENT TRADEMARK OFFICE

---

Tracy D. Beiriger, Esq.

Attorney for Applicants

Reg. No. 37-402

Tele. No. 724-337-2779

Date February 16, 2004Sheet 1 of 1

<b>DISCLOSURE STATEMENT</b>				ATTY DOCKET NO. <b>02-1908 (370108-00097)</b>		SERIAL NO. <b>10/672,462</b>	
				APPLICANT <b>Robert B. Hosler et al.</b>			
				FILING DATE <b>September 25, 2003</b>		GROUP <b>2859</b>	
U.S. PATENT DOCUMENTS							
*EXAMINER (INITIAL)		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE
	AA	4,450,063	05/1984	Johnston et al.	204	400	09/28/83
	AB	4,599,975	07/1986	Reeve et al.	122	379	08/31/84
	AC	4,618,266	10/1986	Feller	374	41	06/03/83
	AD	4,859,076	08/1989	Twerdochlib	374	10	05/20/88
	AE	4,871,263	10/1989	Wilson	374	139	05/16/88
	AF	4,901,061	02/1990	Twerdochlib	340	604	05/20/88
	AG	5,163,321	11/1992	Perales	73	151	09/27/90
	AII	5,295,745	03/1994	Cassettari et al.	374	010	09/09/92
	AI	6,050,723	04/2000	Amra	374	140	04/14/98
	AJ	6,059,453	05/2000	Kempf et al.	374	179	04/20/98
	AK	6,065,867	05/2000	Sulmont et al.	374	139	12/11/95
	AL	6,183,620	02/2001	Verstreken	205	336	10/12/99
	AM	6,220,748	04/2001	Bates	374	10	01/15/99
	AN	5,752,772	05/1998	Verstreken et al.	374	139	09/06/95
FOREIGN PATENT DOCUMENTS							
		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION YES NO
	AO						
	AP						
	AQ						
	AR						
	AS						
OTHER DOCUMENTS							
	AT	Heraeus, Cry-O-Therm, "Bath and Liquidus Temperature Measurement System For the Aluminium Industry", Revision C01-1998					
	AU						
Examiner	Date Considered						
* EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.							